Appendix A - ICD-9-CM 359.1 code breakdown

CODE	INCLUDES
359.1 Hereditary progressive muscular	dystrophy
	Distal
	Duchenne
	Erb's
	Fascioscapulohumeral
	Gower's
	Landouzy-Dejerine
	Limb-girdle
	Ocular
	Oculopharyngeal

Appendix B - Diagnosis codes

Label	Code Type	Code	Description
			Pneumococcal pneumonia (Streptococcus
Pneumonia	ICD-9-CM Dx	481	pneumoniae pneumonia)
Pneumonia	ICD-9-CM Dx	485	Bronchopneumonia, organism unspecified
Pneumonia	ICD-9-CM Dx	486	Pneumonia, organism unspecified
Sleep disorder	ICD-9-CM Dx	327.8	Organic sleep disorder NEC
Pneumonia	ICD-9-CM Dx	480.0	Pneumonia due to adenovirus
Pneumonia	ICD-9-CM Dx	480.1	Pneumonia due to respiratory syncytial virus
Pneumonia	ICD-9-CM Dx	480.2	Pneumonia due to parainfluenza virus
Pneumonia	ICD-9-CM Dx	480.3	Pneumonia due to SARS-associated coronavirus
Pneumonia	ICD-9-CM Dx	480.8	Pneumonia due to other virus not elsewhere classified
Pneumonia	ICD-9-CM Dx	480.9	Viral pneumonia, unspecified
Pneumonia	ICD-9-CM Dx	482.0	Pneumonia due to Klebsiella pneumoniae
Pneumonia	ICD-9-CM Dx	482.1	Pneumonia due to Pseudomonas
Pneumonia	ICD-9-CM Dx	482.2	Pneumonia due to Hemophilus influenzae (H. influenzae)
Pneumonia	ICD-9-CM Dx	482.9	Bacterial pneumonia, unspecified
Pneumonia	ICD-9-CM Dx	483.0	Pneumonia due to Mycoplasma pneumoniae
Pneumonia	ICD-9-CM Dx	483.1	Pneumonia due to Chlamydia
Pneumonia	ICD-9-CM Dx	483.8	Pneumonia due to other specified organism
Pneumonia	ICD-9-CM Dx	484.1	Pneumonia in cytomegalic inclusion disease
Pneumonia	ICD-9-CM Dx	484.3	Pneumonia in whooping cough
Pneumonia	ICD-9-CM Dx	484.5	Pneumonia in anthrax
Pneumonia	ICD-9-CM Dx	484.6	Pneumonia in aspergillosis
Pneumonia	ICD-9-CM Dx	484.7	Pneumonia in other systemic mycoses
Pneumonia	ICD-9-CM Dx	484.8	Pneumonia in other infectious diseases classified elsewhere
Pneumonia	ICD-9-CM Dx	487.0	Influenza with pneumonia
Pneumonia	ICD-9-CM Dx	507.0	Pneumonitis due to inhalation of food or vomitus
Pneumonia	ICD-9-CM Dx	507.1	Pneumonitis due to inhalation of oils and essences
Pneumonia	ICD-9-CM Dx	507.8	Pneumonitis due to inhalation of other solids and liquids
Fracture	ICD-9-CM Dx	802.0	Nasal bones, closed fracture
Fracture	ICD-9-CM Dx	802.1	Nasal bones, open fracture
Fracture	ICD-9-CM Dx	802.4	Malar and maxillary bones, closed fracture

Fracture	ICD-9-CM Dx	802.5	Malar and maxillary bones, open fracture
Fracture	ICD-9-CM Dx	802.6	Orbital floor (blow-out) closed fracture
Fracture	ICD-9-CM Dx	802.7	Orbital floor (blow-out) open fracture
Fracture	ICD-9-CM Dx	802.8	Other facial bones closed fracture
Fracture	ICD-9-CM Dx	802.9	Other facial bones open fracture
			Closed fracture of dorsal (thoracic) vertebra
Fracture	ICD-9-CM Dx	805.2	without mention of spinal cord injury
			Open fracture of dorsal (thoracic) vertebra
Fracture	ICD-9-CM Dx	805.3	without mention of spinal cord injury
			Closed fracture of lumbar vertebra without
Fracture	ICD-9-CM Dx	805.4	mention of spinal cord injury
			Open fracture of lumbar vertebra without
Fracture	ICD-9-CM Dx	805.5	mention of spinal cord injury
Fractura	ICD O CM Dy	905.6	Closed fracture of sacrum and coccyx without
Fracture	ICD-9-CM Dx	805.6	mention of spinal cord injury Open fracture of sacrum and coccyx without
Fracture	ICD-9-CM Dx	805.7	mention of spinal cord injury
Tracture	ICD 3 CIVI DX	003.7	Closed fracture of unspecified part of
			vertebral column without mention of spinal
Fracture	ICD-9-CM Dx	805.8	cord injury
			Open fracture of unspecified part of vertebral
Fracture	ICD-9-CM Dx	805.9	column without mention of spinal cord injury
			Closed fracture of lumbar spine with spinal
Fracture	ICD-9-CM Dx	806.4	cord injury
			Open fracture of lumbar spine with spinal
Fracture	ICD-9-CM Dx	806.5	cord injury
F	100 0 014 0	200	Closed fracture of unspecified vertebra with
Fracture	ICD-9-CM Dx	806.8	spinal cord injury
Fracture	ICD-9-CM Dx	806.9	Open fracture of unspecified vertebra with spinal cord injury
Fracture	ICD-9-CM Dx	807.2	Closed fracture of sternum
	ICD-9-CM Dx	807.3	Open fracture of sternum
Fracture			·
Fracture	ICD-9-CM Dx	807.4	Flail chest
Fracture	ICD-9-CM Dx	807.5	Closed fracture of larynx and trachea
Fracture	ICD-9-CM Dx	807.6	Open fracture of larynx and trachea
Fracture	ICD-9-CM Dx	808.0	Closed fracture of acetabulum
Fracture	ICD-9-CM Dx	808.1	Open fracture of acetabulum
Fracture	ICD-9-CM Dx	808.2	Closed fracture of pubis
Fracture	ICD-9-CM Dx	808.3	Open fracture of pubis
Fracture	ICD-9-CM Dx	808.8	Unspecified closed fracture of pelvis
Fracture	ICD-9-CM Dx	808.9	Unspecified open fracture of pelvis
Fracture	ICD-9-CM Dx	809.0	Fracture of bones of trunk, closed

Fracture	ICD-9-CM Dx	809.1	Fracture of bones of trunk, open
Fracture	ICD-9-CM Dx	817.0	Multiple closed fractures of hand bones
Fracture	ICD-9-CM Dx	817.1	Multiple open fractures of hand bones
Fracture	ICD-9-CM Dx	818.0	III-defined closed fractures of upper limb
Fracture	ICD-9-CM Dx	818.1	Ill-defined open fractures of upper limb
			Multiple closed fractures involving both
			upper limbs, and upper limb with rib(s) and
Fracture	ICD-9-CM Dx	819.0	sternum
Functions	ICD O CM D.	010.1	Multiple open fractures involving both upper
Fracture	ICD-9-CM Dx	819.1	limbs, and upper limb with rib(s) and sternum
Fracture	ICD-9-CM Dx	820.8	Fracture of unspecified part of neck of femur, closed
Tractare	ICD 5 CIVI DX	020.0	Fracture of unspecified part of neck of femur,
Fracture	ICD-9-CM Dx	820.9	open
Fracture	ICD-9-CM Dx	822.0	Closed fracture of patella
Fracture	ICD-9-CM Dx	822.1	Open fracture of patella
Fracture	ICD-9-CM Dx	824.0	Fracture of medial malleolus, closed
Fracture	ICD-9-CM Dx	824.1	Fracture of medial malleolus, open
Fracture	ICD-9-CM Dx	824.2	Fracture of lateral malleolus, closed
Fracture	ICD-9-CM Dx	824.3	Fracture of lateral malleolus, open
Fracture	ICD-9-CM Dx	824.4	Bimalleolar fracture, closed
Fracture	ICD-9-CM Dx	824.5	Bimalleolar fracture, open
Fracture	ICD-9-CM Dx	824.6	Trimalleolar fracture, closed
Fracture	ICD-9-CM Dx	824.7	Trimalleolar fracture, open
Fracture	ICD-9-CM Dx	824.8	Unspecified fracture of ankle, closed
Fracture	ICD-9-CM Dx	824.9	Unspecified fracture of ankle, open
Fracture	ICD-9-CM Dx	825.0	Fracture of calcaneus, closed
Fracture	ICD-9-CM Dx	825.1	Fracture of calcaneus, open
			Closed fracture of one or more phalanges of
Fracture	ICD-9-CM Dx	826.0	foot
			Open fracture of one or more phalanges of
Fracture	ICD-9-CM Dx	826.1	foot
F	160 0 614 0	027.0	Other, multiple and ill-defined fractures of
Fracture	ICD-9-CM Dx	827.0	Other, multiple and ill-defined fractures of
Fracture	ICD-9-CM Dx	827.1	lower limb, open
ridetare	ICD J CIVI DX	027.1	Multiple fractures involving both lower limbs,
			lower with upper limb, and lower limb(s) with
Fracture	ICD-9-CM Dx	828.0	rib(s) and sternum, closed
			Multiple fractures involving both lower limbs,
			lower with upper limb, and lower limb(s) with
Fracture	ICD-9-CM Dx	828.1	rib(s) and sternum, open

Fracture	ICD-9-CM Dx	829.0	Fracture of unspecified bone, closed
Fracture	ICD-9-CM Dx	829.1	Fracture of unspecified bone, open
Sleep disorder	ICD-9-CM Dx	291.82	Alcohol induced sleep disorders
Sleep disorder	ICD-9-CM Dx	292.85	Drug induced sleep disorders
Sleep disorder	ICD-9-CM Dx	307.40	Nonorganic sleep disorder NOS
Sleep disorder	ICD-9-CM Dx	307.41	Transient disorder of initiating or maintaining sleep
Sleep disorder	ICD-9-CM Dx	307.42	Persistent disorder of initiating or maintaining sleep
Sleep disorder	ICD-9-CM Dx	307.43	Transient disorder of initiating or maintaining wakefulness
Sleep disorder	ICD-9-CM Dx	307.44	Persistent disorder of initiating or maintaining wakefulness
Sleep disorder	ICD-9-CM Dx	307.45	Circadian rhythm sleep disorder of nonorganic origin
Sleep disorder	ICD-9-CM Dx	307.46	Sleep arousal disorder
Sleep disorder	ICD-9-CM Dx	307.47	Other dysfunctions of sleep stages or arousal from sleep
Sleep disorder	ICD-9-CM Dx	307.48	Repetitive intrusions of sleep
Sleep disorder	ICD-9-CM Dx	307.49	Nonorganic sleep disorder NEC
Sleep disorder	ICD-9-CM Dx	327.00	Organic insomnia NOS
Sleep disorder	ICD-9-CM Dx	327.01	Insomnia due to medical condition classified elsewhere
Sleep disorder	ICD-9-CM Dx	327.02	Insomnia due to mental disorder
Sleep disorder	ICD-9-CM Dx	327.09	Organic insomnia NEC
Sleep disorder	ICD-9-CM Dx	327.10	Organic hypersomnia NOS
Sleep disorder	ICD-9-CM Dx	327.11	Idiopathic hypersomnia w long sleep time
Sleep disorder	ICD-9-CM Dx	327.12	Idiopathic hypersomnia w/o long sleep time
Sleep disorder	ICD-9-CM Dx	327.13	Recurrent hypersomnia
Sleep disorder	ICD-9-CM Dx	327.14	Hypersomnia due to medical condition classified elsewhere
Sleep disorder	ICD-9-CM Dx	327.15	Hypersomnia due to mental disorder
Sleep disorder	ICD-9-CM Dx	327.19	Organic hypersomnia NEC
Sleep disorder	ICD-9-CM Dx	327.20	Organic sleep apnea NOS
Sleep disorder	ICD-9-CM Dx	327.21	Primary central sleep apnea
Sleep disorder	ICD-9-CM Dx	327.23	Obstructive sleep apnea
Sleep disorder	ICD-9-CM Dx	327.24	Idiopathic sleep related nonobstructive alveolar hypoventilation
Sleep disorder	ICD-9-CM Dx	327.25	Congenital central alveolar hypoventilation syndrome
Sleep disorder	ICD-9-CM Dx	327.26	Sleep related hypoventilation/hypoxemia in conditions classified elsewhere

		1	Central sleep apnea in conditions classified
Sleep disorder	ICD-9-CM Dx	327.27	elsewhere
Sleep disorder	ICD-9-CM Dx	327.29	Organic sleep apnea NEC
Sleep disorder	ICD-9-CM Dx	327.30	Circadian rhythm sleep disorder NOS
			Circadian rhythm sleep disorder, delayed
Sleep disorder	ICD-9-CM Dx	327.31	sleep phase type
			Circadian rhythm sleep disorder, advanced
Sleep disorder	ICD-9-CM Dx	327.32	sleep phase type
Class disaudan	ICD O CM Dy	227.22	Circadian rhythm sleep disorder, irregular
Sleep disorder	ICD-9-CM Dx	327.33	sleep-wake type Circadian rhythm sleep disorder, free-running
Sleep disorder	ICD-9-CM Dx	327.34	type
Sleep disorder	ICD-9-CM Dx	327.35	Circadian rhythm sleep disorder, jet lag type
Sicep disorder	ICD 5 CIVI DX	327.33	Circadian rhythm sleep disorder, sleft work
Sleep disorder	ICD-9-CM Dx	327.36	type
'			Circadian rhythm sleep disorder in conditions
Sleep disorder	ICD-9-CM Dx	327.37	classified elsewhere
Sleep disorder	ICD-9-CM Dx	327.39	Circadian rhythm sleep disorder NEC
Sleep disorder	ICD-9-CM Dx	327.40	Organic parasomnia NOS
Sleep disorder	ICD-9-CM Dx	327.41	Confusional arousals
Sleep disorder	ICD-9-CM Dx	327.42	REM sleep behavior disorder
Sleep disorder	ICD-9-CM Dx	327.43	Recurrent isolated sleep paralysis
Sleep disorder	ICD-9-CM Dx	327.44	Parasomnia in conditions classified elsewhere
Sleep disorder	ICD-9-CM Dx	327.49	Organic parasomnia NEC
Sleep disorder	ICD-9-CM Dx	327.51	Periodic limb movement disorder
•			Organic sleep related movement disorders
Sleep disorder	ICD-9-CM Dx	327.59	NEC
Sleep disorder	ICD-9-CM Dx	347.00	Narcolepsy w/o cataplexy
Sleep disorder	ICD-9-CM Dx	347.01	Narcolepsy w cataplexy
			Narcolepsy in diseases classified elsewhere
Sleep disorder	ICD-9-CM Dx	347.10	w/o cataplexy
			Narcolepsy in diseases classified elsewhere w
Sleep disorder	ICD-9-CM Dx	347.11	cataplexy
Pneumonia	ICD-9-CM Dx	482.30	Pneumonia due to unspecified Streptococcus
Pneumonia	ICD-9-CM Dx	482.31	Pneumonia due to Streptococcus, group A
Pneumonia	ICD-9-CM Dx	482.32	Pneumonia due to Streptococcus, group B
Pneumonia	ICD-9-CM Dx	482.39	Pneumonia due to other Streptococcus
_			Pneumonia due to Staphylococcus,
Pneumonia	ICD-9-CM Dx	482.40	unspecified
Doggessis	ICD C CM D	402.44	Methicillin susceptible pneumonia due to
Pneumonia	ICD-9-CM Dx	482.41	Staphylococcus aureus Methicillin resistant pneumonia due to
Pneumonia	ICD-9-CM Dx	482.42	Staphylococcus aureus

Pneumonia	ICD-9-CM Dx	482.49	Other Staphylococcus pneumonia
Pneumonia	ICD-9-CM Dx	482.81	Pneumonia due to anaerobes
Pneumonia	ICD-9-CM Dx	482.82	Pneumonia due to Escherichia coli (E. coli)
			Pneumonia due to other gram-negative
Pneumonia	ICD-9-CM Dx	482.83	bacteria
Pneumonia	ICD-9-CM Dx	482.89	Pneumonia due to other specified bacteria
			Influenza due to identified avian influenza
Pneumonia	ICD-9-CM Dx	488.01	virus with pneumonia
			Influenza due to identified 2009 H1N1
Pneumonia	ICD-9-CM Dx	488.11	influenza virus with pneumonia
	100 0 014 0	400.04	Influenza due to identified novel influenza A
Pneumonia	ICD-9-CM Dx	488.81	virus with pneumonia
Fracture	ICD-9-CM Dx	733.10	Pathologic fracture, unspecified site
Fracture	ICD-9-CM Dx	733.11	Pathologic fracture of humerus
Fracture	ICD-9-CM Dx	733.12	Pathologic fracture of distal radius and ulna
Fracture	ICD-9-CM Dx	733.13	Pathologic fracture of vertebrae
Fracture	ICD-9-CM Dx	733.14	Pathologic fracture of neck of femur
Fracture	ICD-9-CM Dx	733.15	Pathologic fracture of other specified part of femur
Fracture	ICD-9-CM Dx	733.16	Pathologic fracture of tibia or fibula
Fracture	ICD-9-CM Dx	733.19	Pathologic fracture of other specified site
Sleep disorder	ICD-9-CM Dx	780.50	Sleep disturbance NOS
Sleep disorder	ICD-9-CM Dx	780.51	Insomnia w sleep apnea NOS
Sleep disorder	ICD-9-CM Dx	780.52	Insomnia NOS
Sleep disorder	ICD-9-CM Dx	780.53	Hypersomnia w sleep apnea NOS
Sleep disorder	ICD-9-CM Dx	780.54	Hypersomnia NOS
Sleep disorder	ICD-9-CM Dx	780.55	Disruptions of 24 hr sleep wake cycle NOS
			Dysfunctions associated w sleep stages or
Sleep disorder	ICD-9-CM Dx	780.56	arousal from sleep
Sleep disorder	ICD-9-CM Dx	780.57	Sleep apnea NOS
Sleep disorder	ICD-9-CM Dx	780.58	Sleep related movement disorder NOS
Sleep disorder	ICD-9-CM Dx	780.59	Sleep disturbance NEC
•			Closed fracture of vault of skull without
			mention of intracranial injury, with state of
Fracture	ICD-9-CM Dx	800.00	consciousness unspecified
			Closed fracture of vault of skull without
			mention of intracranial injury, with no loss of
Fracture	ICD-9-CM Dx	800.01	consciousness
			Closed fracture of vault of skull without
	100 0 0115	000.00	mention of intracranial injury, with brief (less
Fracture	ICD-9-CM Dx	800.02	than one hour) loss of consciousness

Fracture	ICD-9-CM Dx	800.20	subarachnoid, subdural, and extradural
Tuccuic	ICD 3 CIVI DA	000.13	Closed fracture of vault of skull with
Fracture	ICD-9-CM Dx	800.19	unspecified
			laceration and contusion, with concussion,
Fracture	ICD-9-CM Dx	800.16	consciousness of unspecified duration Closed fracture of vault of skull with cerebral
Fracture	ICD O CM Dv	900.16	laceration and contusion, with loss of
			Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.15	without return to pre-existing conscious level
F	100 0 014 0	000.45	(more than 24 hours) loss of consciousness,
			laceration and contusion, with prolonged
			Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.14	and return to pre-existing conscious level
E	100 0 01 1 5	000.44	(more than 24 hours) loss of consciousness
			laceration and contusion, with prolonged
			Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.13	24 hours) loss of consciousness
Fun atoms	100 0 014 0	000.43	laceration and contusion, with moderate (1-
			Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.12	one hour) loss of consciousness
F	100 0 014 0	000.43	laceration and contusion, with brief (less than
			Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.11	consciousness
Fractions	ICD O CM D	900 11	laceration and contusion, with no loss of
			Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.10	consciousness unspecified
Fractura	ICD O CM Dy	900 10	laceration and contusion, with state of
riacture	ICD-9-CIVI DX	800.09	concussion, unspecified Closed fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.09	
			mention of intracranial injury, with
TIACLUIE	ICD-3-CIVI DX	00.00	Closed fracture of vault of skull without
Fracture	ICD-9-CM Dx	800.06	consciousness of unspecified duration
			mention of intracranial injury, with loss of
Fracture	ICD-9-CM Dx	800.05	without return to pre-existing conscious level Closed fracture of vault of skull without
Fractura	ICD O CM Dy	900.05	(more than 24 hours) loss of consciousness,
			mention of intracranial injury, with prolonged
			Closed fracture of vault of skull without
Fracture	ICD-9-CM Dx	800.04	and return to pre-existing conscious level
Fue ete	ICD O CM Dy	000.04	(more than 24 hours) loss of consciousness
			mention of intracranial injury, with prolonged
			Closed fracture of vault of skull without
Fracture	ICD-9-CM Dx	800.03	(1-24 hours) loss of consciousness
			mention of intracranial injury, with moderate
			Closed fracture of vault of skull without

			hemorrhage, with state of consciousness
			unspecified
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	800.21	hemorrhage, with no loss of consciousness
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with brief (less than one hour)
Fracture	ICD-9-CM Dx	800.22	loss of consciousness
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with moderate (1-24 hours) loss
Fracture	ICD-9-CM Dx	800.23	of consciousness
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	800.24	pre-existing conscious level
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	800.25	to pre-existing conscious level
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with loss of consciousness of
Fracture	ICD-9-CM Dx	800.26	unspecified duration
			Closed fracture of vault of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	800.29	hemorrhage, with concussion, unspecified
			Closed fracture of vault of skull with other
			and unspecified intracranial hemorrhage,
Fracture	ICD-9-CM Dx	800.30	with state of consciousness unspecified
			Closed fracture of vault of skull with other
			and unspecified intracranial hemorrhage,
Fracture	ICD-9-CM Dx	800.31	with no loss of consciousness
			Closed fracture of vault of skull with other
			and unspecified intracranial hemorrhage,
_			with brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	800.32	consciousness
			Closed fracture of vault of skull with other
			and unspecified intracranial hemorrhage,
	105 5 5 5	065.55	with moderate (1-24 hours) loss of
Fracture	ICD-9-CM Dx	800.33	consciousness

Fracture	ICD-9-CM Dx	800.34	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level
Tracture	TED 3 CIVI DX	300.31	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with prolonged (more than 24 hours) loss of consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	800.35	conscious level
Fracture	ICD-9-CM Dx	800.36	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with loss of consciousness of unspecified duration
Fracture	ICD-9-CM Dx	800.39	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, with concussion, unspecified
Tracture	ICD-5-CIVI DX	800.33	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with state of consciousness
Fracture	ICD-9-CM Dx	800.40	unspecified
Food or	100 0 014 0	000 44	Closed fracture of vault of skull with intracranial injury of other and unspecified
Fracture	ICD-9-CM Dx	800.41	nature, with no loss of consciousness Closed fracture of vault of skull with
			intracranial injury of other and unspecified nature, with brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	800.42	consciousness
Fracture	ICD-9-CM Dx	800.43	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with moderate (1-24 hours) loss of consciousness
			Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged (more than 24 hours) loss of consciousness and return to pre-
Fracture	ICD-9-CM Dx	800.44	existing conscious level
- Franchisco	100.0.014.5	200 45	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, with prolonged (more than 24 hours) loss of consciousness, without return to pre-
Fracture	ICD-9-CM Dx	800.45	existing conscious level Closed fracture of vault of skull with
Fracture	ICD-9-CM Dx	800.46	intracranial injury of other and unspecified

I	1	1	nature, with loss of consciousness of
			unspecified duration
			Closed fracture of vault of skull with
			intracranial injury of other and unspecified
Fracture	ICD-9-CM Dx	800.49	nature, with concussion, unspecified
Tracture	ICD-3-CIVI DX	800.43	Open fracture of vault of skull without
			mention of intracranial injury, with state of
Fracture	ICD-9-CM Dx	800.50	consciousness unspecified
Tracture	ICD-3-CIVI DX	800.50	Open fracture of vault of skull without
			mention of intracranial injury, with no loss of
Fracture	ICD-9-CM Dx	800.51	consciousness
Tracture	ICD-3-CIVI DX	800.51	Open fracture of vault of skull without
			mention of intracranial injury, with brief (less
Fracture	ICD-9-CM Dx	800.52	than one hour) loss of consciousness
riacture	ICD-3-CIVI DX	800.32	Open fracture of vault of skull without
			mention of intracranial injury, with moderate
Fracture	ICD-9-CM Dx	800.53	(1-24 hours) loss of consciousness
riacture	ICD-9-CIVI DX	800.55	Open fracture of vault of skull without
			mention of intracranial injury, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	800.54	
riacture	ICD-9-CIVI DX	600.54	and return to pre-existing conscious level
			Open fracture of vault of skull without
			mention of intracranial injury, with prolonged
Fracture	ICD-9-CM Dx	800.55	(more than 24 hours) loss of consciousness,
riacture	ICD-9-CIVI DX	800.55	without return to pre-existing conscious level Open fracture of vault of skull without
			mention of intracranial injury, with loss of
Fracture	ICD-9-CM Dx	800.56	consciousness of unspecified duration
riacture	ICD-9-CIVI DX	800.36	
			Open fracture of vault of skull without mention of intracranial injury, with
Fracture	ICD-9-CM Dx	800.59	, ,
rracture	ICD-9-CIVI DX	800.59	concussion, unspecified
			Open fracture of vault of skull with cerebral
Fue et	ICD O CM Dy	900.60	laceration and contusion, with state of
Fracture	ICD-9-CM Dx	800.60	consciousness unspecified
			Open fracture of vault of skull with cerebral
F	100 0 014 0	000.64	laceration and contusion, with no loss of
Fracture	ICD-9-CM Dx	800.61	consciousness
			Open fracture of vault of skull with cerebral
			laceration and contusion, with brief (less than
Fracture	ICD-9-CM Dx	800.62	one hour) loss of consciousness
			Open fracture of vault of skull with cerebral
	105 2 21 : 5	000.05	laceration and contusion, with moderate (1-
Fracture	ICD-9-CM Dx	800.63	24 hours) loss of consciousness
		000 55	Open fracture of vault of skull with cerebral
Fracture	ICD-9-CM Dx	800.64	laceration and contusion, with prolonged

			(more than 24 hours) loss of consciousness
			and return to pre-existing conscious level
			Open fracture of vault of skull with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	800.65	without return to pre-existing conscious level
Tractare	TCD 5 CIVI DX	000.03	Open fracture of vault of skull with cerebral
			laceration and contusion, with loss of
Fracture	ICD-9-CM Dx	800.66	consciousness of unspecified duration
Tractare	ICD 3 CIVI DX	000.00	Open fracture of vault of skull with cerebral
			laceration and contusion, with concussion,
Fracture	ICD-9-CM Dx	800.69	unspecified
Tracture	ICD-3-CIVI DX	800.03	Open fracture of vault of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	800.70	hemorrhage, with state of consciousness unspecified
Fracture	ICD-9-CIVI DX	800.70	Open fracture of vault of skull with
			· '
Fractura	ICD O CM Dy	900 71	subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	800.71	hemorrhage, with no loss of consciousness
			Open fracture of vault of skull with
			subarachnoid, subdural, and extradural
F	100 0 014 0	000 70	hemorrhage, with brief (less than one hour)
Fracture	ICD-9-CM Dx	800.72	loss of consciousness
			Open fracture of vault of skull with
			subarachnoid, subdural, and extradural
Functions.	ICD O CM D.	000 73	hemorrhage, with moderate (1-24 hours) loss
Fracture	ICD-9-CM Dx	800.73	of consciousness
			Open fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
	100 0 014 0	200 74	hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	800.74	pre-existing conscious level
			Open fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	800.75	to pre-existing conscious level
			Open fracture of vault of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with loss of consciousness of
Fracture	ICD-9-CM Dx	800.76	unspecified duration
			Open fracture of vault of skull with
_			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	800.79	hemorrhage, with concussion, unspecified

			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	800.80	state of consciousness unspecified
			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with no
Fracture	ICD-9-CM Dx	800.81	loss of consciousness
			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
			brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	800.82	consciousness
			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	800.83	moderate (1-24 hours) loss of consciousness
			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
			prolonged (more than 24 hours) loss of
			consciousness and return to pre-existing
Fracture	ICD-9-CM Dx	800.84	conscious level
			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
			prolonged (more than 24 hours) loss of
			consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	800.85	conscious level
			Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	800.86	loss of consciousness of unspecified duration
	100 0 0 0	000.00	Open fracture of vault of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	800.89	concussion, unspecified
Tractare	ICD 5 CIVI DX	000.03	Open fracture of vault of skull with
			intracranial injury of other and unspecified
			nature, with state of consciousness
Fracture	ICD-9-CM Dx	800.90	unspecified
Tractare	ICD 3 CIVI DX	000.50	Open fracture of vault of skull with
			intracranial injury of other and unspecified
Fracture	ICD-9-CM Dx	800.91	nature, with no loss of consciousness
Tractale	ICD J-CIVI DX	000.51	Open fracture of vault of skull with
			intracranial injury of other and unspecified
			nature, with brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	800.92	consciousness
Tracture	ICD-3-CIVI DX	000.32	Open fracture of vault of skull with
			-
			intracranial injury of other and unspecified
[root	ICD O CM D.	900.03	nature, with moderate (1-24 hours) loss of
Fracture	ICD-9-CM Dx	800.93	consciousness

			Open fracture of vault of skull with
			intracranial injury of other and unspecified
			nature, with prolonged (more than 24 hours)
			loss of consciousness and return to pre-
Fracture	ICD-9-CM Dx	800.94	existing conscious level
	ieb 5 em bx	300.5	Open fracture of vault of skull with
			intracranial injury of other and unspecified
			nature, with prolonged (more than 24 hours)
			loss of consciousness, without return to pre-
Fracture	ICD-9-CM Dx	800.95	existing conscious level
Tractare	ICD 3 CIVI DX	800.55	Open fracture of vault of skull with
			intracranial injury of other and unspecified
			nature, with loss of consciousness of
Fracture	ICD-9-CM Dx	800.96	unspecified duration
Fracture	ICD-9-CIVI DX	800.90	Open fracture of vault of skull with
			intracranial injury of other and unspecified
Fue ete	ICD O CM Dy	200.00	· · · · · · · · · · · · · · · · · · ·
Fracture	ICD-9-CM Dx	800.99	nature, with concussion, unspecified
			Closed fracture of base of skull without
F	100 0 014 0	004.00	mention of intracranial injury, with state of
Fracture	ICD-9-CM Dx	801.00	consciousness unspecified
			Closed fracture of base of skull without
			mention of intracranial injury, with no loss of
Fracture	ICD-9-CM Dx	801.01	consciousness
			Closed fracture of base of skull without
			mention of intracranial injury, with brief (less
Fracture	ICD-9-CM Dx	801.02	than one hour) loss of consciousness
			Closed fracture of base of skull without
			mention of intracranial injury, with moderate
Fracture	ICD-9-CM Dx	801.03	(1-24 hours) loss of consciousness
			Closed fracture of base of skull without
			mention of intracranial injury, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	801.04	and return to pre-existing conscious level
			Closed fracture of base of skull without
			mention of intracranial injury, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	801.05	without return to pre-existing conscious level
			Closed fracture of base of skull without
			mention of intracranial injury, with loss of
Fracture	ICD-9-CM Dx	801.06	consciousness of unspecified duration
			Closed fracture of base of skull without
			mention of intracranial injury, with
Fracture	ICD-9-CM Dx	801.09	concussion, unspecified

			Closed fracture of base of skull with cerebral
			laceration and contusion, with state of
Fracture	ICD-9-CM Dx	801.10	consciousness unspecified
			Closed fracture of base of skull with cerebral
			laceration and contusion, with no loss of
Fracture	ICD-9-CM Dx	801.11	consciousness
			Closed fracture of base of skull with cerebral
			laceration and contusion, with brief (less than
Fracture	ICD-9-CM Dx	801.12	one hour) loss of consciousness
			Closed fracture of base of skull with cerebral
			laceration and contusion, with moderate (1-
Fracture	ICD-9-CM Dx	801.13	24 hours) loss of consciousness
			Closed fracture of base of skull with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	801.14	and return to pre-existing conscious level
			Closed fracture of base of skull with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	801.15	without return to pre-existing conscious level
			Closed fracture of base of skull with cerebral
			laceration and contusion, with loss of
Fracture	ICD-9-CM Dx	801.16	consciousness of unspecified duration
			Closed fracture of base of skull with cerebral
			laceration and contusion, with concussion,
Fracture	ICD-9-CM Dx	801.19	unspecified
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with state of consciousness
Fracture	ICD-9-CM Dx	801.20	unspecified
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	801.21	hemorrhage, with no loss of consciousness
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with brief (less than one hour)
Fracture	ICD-9-CM Dx	801.22	loss of consciousness
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with moderate (1-24 hours) loss
Fracture	ICD-9-CM Dx	801.23	of consciousness
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	801.24	hemorrhage, with prolonged (more than 24

I		1	hours) loss of consciousness and return to
			pre-existing conscious level
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	801.25	to pre-existing conscious level
Tractare	ICD 5 CIVI DX	001.23	Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with loss of consciousness of
Fracture	ICD-9-CM Dx	801.26	unspecified duration
			Closed fracture of base of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	801.29	hemorrhage, with concussion, unspecified
			Closed fracture of base of skull with other
1			and unspecified intracranial hemorrhage,
Fracture	ICD-9-CM Dx	801.30	with state of consciousness unspecified
			Closed fracture of base of skull with other
			and unspecified intracranial hemorrhage,
Fracture	ICD-9-CM Dx	801.31	with no loss of consciousness
			Closed fracture of base of skull with other
			and unspecified intracranial hemorrhage,
			with brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	801.32	consciousness
			Closed fracture of base of skull with other
			and unspecified intracranial hemorrhage,
			with moderate (1-24 hours) loss of
Fracture	ICD-9-CM Dx	801.33	consciousness
l			Closed fracture of base of skull with other
			and unspecified intracranial hemorrhage,
			with prolonged (more than 24 hours) loss of
_			consciousness and return to pre-existing
Fracture	ICD-9-CM Dx	801.34	conscious level
			Closed fracture of base of skull with other
			and unspecified intracranial hemorrhage,
			with prolonged (more than 24 hours) loss of
Fun about	100 0 014 0	004.35	consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	801.35	conscious level
			Closed fracture of base of skull with other
			and unspecified intracranial hemorrhage,
Fracture	ICD-9-CM Dx	801.36	with loss of consciousness of unspecified duration
Tracture	ICD-J-CIVI DX	301.30	Closed fracture of base of skull with other
l			and unspecified intracranial hemorrhage,
Fracture	ICD-9-CM Dx	801.39	with concussion, unspecified
Tucture	I ICD J CIVI DX	001.00	with concassion, unspecified

		Closed fracture of base of skull with
		intracranial injury of other and unspecified
		nature, with state of consciousness
ICD-9-CM Dx	801.40	unspecified
TED 5 CIVI DX	001.10	Closed fracture of base of skull with
		intracranial injury of other and unspecified
ICD-9-CM Dv	801 <i>/</i> 11	nature, with no loss of consciousness
ICD-3-CIVI DX	801.41	Closed fracture of base of skull with
		intracranial injury of other and unspecified
		nature, with brief (less than one hour) loss of
ICD 0 CM Dv	901.42	consciousness
ICD-9-CIVI DX	001.42	Closed fracture of base of skull with
		intracranial injury of other and unspecified
ICD O CM D.	001 43	nature, with moderate (1-24 hours) loss of
ICD-9-CIVI DX	801.43	consciousness Closed fracture of base of skull with
		intracranial injury of other and unspecified
		nature, with prolonged (more than 24 hours)
		loss of consciousness and return to pre-
ICD-9-CM Dx	801.44	existing conscious level
		Closed fracture of base of skull with
		intracranial injury of other and unspecified
		nature, with prolonged (more than 24 hours)
		loss of consciousness, without return to pre-
ICD-9-CM Dx	801.45	existing conscious level
		Closed fracture of base of skull with
		intracranial injury of other and unspecified
		nature, with loss of consciousness of
ICD-9-CM Dx	801.46	unspecified duration
		Closed fracture of base of skull with
		intracranial injury of other and unspecified
ICD-9-CM Dx	801.49	nature, with concussion, unspecified
		Open fracture of base of skull without
		mention of intracranial injury, with state of
ICD-9-CM Dx	801.50	consciousness unspecified
		Open fracture of base of skull without
		mention of intracranial injury, with no loss of
ICD-9-CM Dx	801.51	consciousness
		Open fracture of base of skull without
		mention of intracranial injury, with brief (less
ICD-9-CM Dx	801.52	than one hour) loss of consciousness
		Open fracture of base of skull without
		· ·
		mention of intracranial injury, with moderate
	ICD-9-CM Dx ICD-9-CM Dx	ICD-9-CM Dx 801.42 ICD-9-CM Dx 801.43 ICD-9-CM Dx 801.44 ICD-9-CM Dx 801.45 ICD-9-CM Dx 801.46 ICD-9-CM Dx 801.49 ICD-9-CM Dx 801.50 ICD-9-CM Dx 801.51

			Open fracture of base of skull without
			mention of intracranial injury, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	801.54	and return to pre-existing conscious level
			Open fracture of base of skull without
			mention of intracranial injury, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	801.55	without return to pre-existing conscious level
			Open fracture of base of skull without
			mention of intracranial injury, with loss of
Fracture	ICD-9-CM Dx	801.56	consciousness of unspecified duration
			Open fracture of base of skull without
			mention of intracranial injury, with
Fracture	ICD-9-CM Dx	801.59	concussion, unspecified
			Open fracture of base of skull with cerebral
			laceration and contusion, with state of
Fracture	ICD-9-CM Dx	801.60	consciousness unspecified
			Open fracture of base of skull with cerebral
			laceration and contusion, with no loss of
Fracture	ICD-9-CM Dx	801.61	consciousness
			Open fracture of base of skull with cerebral
			laceration and contusion, with brief (less than
Fracture	ICD-9-CM Dx	801.62	one hour) loss of consciousness
			Open fracture of base of skull with cerebral
			laceration and contusion, with moderate (1-
Fracture	ICD-9-CM Dx	801.63	24 hours) loss of consciousness
			Open fracture of base of skull with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	801.64	and return to pre-existing conscious level
			Open fracture of base of skull with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	801.65	without return to pre-existing conscious level
			Open fracture of base of skull with cerebral
			laceration and contusion, with loss of
Fracture	ICD-9-CM Dx	801.66	consciousness of unspecified duration
			Open fracture of base of skull with cerebral
			laceration and contusion, with concussion,
Fracture	ICD-9-CM Dx	801.69	unspecified
			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with state of consciousness
Fracture	ICD-9-CM Dx	801.70	unspecified

l			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	801.71	hemorrhage, with no loss of consciousness
	ies e em sa	0022	Open fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with brief (less than one hour)
Fracture	ICD-9-CM Dx	801.72	loss of consciousness
			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with moderate (1-24 hours) loss
Fracture	ICD-9-CM Dx	801.73	of consciousness
			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	801.74	pre-existing conscious level
			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	801.75	to pre-existing conscious level
			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
			hemorrhage, with loss of consciousness of
Fracture	ICD-9-CM Dx	801.76	unspecified duration
			Open fracture of base of skull with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	801.79	hemorrhage, with concussion, unspecified
			Open fracture of base of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	801.80	state of consciousness unspecified
			Open fracture of base of skull with other and
			unspecified intracranial hemorrhage, with no
Fracture	ICD-9-CM Dx	801.81	loss of consciousness
			Open fracture of base of skull with other and
			unspecified intracranial hemorrhage, with
		004.55	brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	801.82	consciousness
			Open fracture of base of skull with other and
	105 0 01 5	001.05	unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	801.83	moderate (1-24 hours) loss of consciousness
			Open fracture of base of skull with other and
Fun at:	100 0 004 0	004.04	unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	801.84	prolonged (more than 24 hours) loss of

1	1	1	consciousness and return to pre-existing
			conscious level
			Open fracture of base of skull with other and
			unspecified intracranial hemorrhage, with
			prolonged (more than 24 hours) loss of
			, ,
Fun atuun	ICD O CM Dy	001.05	consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	801.85	conscious level
			Open fracture of base of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	801.86	loss of consciousness of unspecified duration
			Open fracture of base of skull with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	801.89	concussion, unspecified
			Open fracture of base of skull with
			intracranial injury of other and unspecified
			nature, with state of consciousness
Fracture	ICD-9-CM Dx	801.90	unspecified
1			Open fracture of base of skull with
			intracranial injury of other and unspecified
Fracture	ICD-9-CM Dx	801.91	nature, with no loss of consciousness
			Open fracture of base of skull with
			intracranial injury of other and unspecified
			nature, with brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	801.92	consciousness
	102 0 0 2	002.02	Open fracture of base of skull with
			intracranial injury of other and unspecified
			nature, with moderate (1-24 hours) loss of
Fracture	ICD-9-CM Dx	801.93	consciousness
Tracture	ICD 3 CIVI DX	001.55	Open fracture of base of skull with
			intracranial injury of other and unspecified
			nature, with prolonged (more than 24 hours)
			, ,
F	100 0 014 0	004.04	loss of consciousness and return to pre-
Fracture	ICD-9-CM Dx	801.94	existing conscious level
			Open fracture of base of skull with
			intracranial injury of other and unspecified
			nature, with prolonged (more than 24 hours)
			loss of consciousness, without return to pre-
Fracture	ICD-9-CM Dx	801.95	existing conscious level
			Open fracture of base of skull with
			intracranial injury of other and unspecified
			nature, with loss of consciousness of
Fracture	ICD-9-CM Dx	801.96	unspecified duration
			Open fracture of base of skull with
			intracranial injury of other and unspecified
Fracture	ICD-9-CM Dx	801.99	nature, with concussion, unspecified

Fracture	ICD-9-CM Dx	802.20	Unspecified site of mandible, closed fracture
Fracture	ICD-9-CM Dx	802.21	Condylar process of mandible, closed fracture
			Subcondylar process of mandible closed
Fracture	ICD-9-CM Dx	802.22	fracture
Fracture	ICD-9-CM Dx	802.23	Coronoid process of mandible closed fracture
			Ramus of mandible closed fracture of
Fracture	ICD-9-CM Dx	802.24	unspecified part
Fracture	ICD-9-CM Dx	802.25	Angle of jaw closed fracture
			Symphysis of body of mandible closed
Fracture	ICD-9-CM Dx	802.26	fracture
			Alveolar border of body of mandible closed
Fracture	ICD-9-CM Dx	802.27	fracture
			Part of body of mandible closed fracture of
Fracture	ICD-9-CM Dx	802.28	other and unspecified
Fracture	ICD-9-CM Dx	802.29	Multiple sites of mandible closed fracture
Fracture	ICD-9-CM Dx	802.30	Unspecified site of mandible open fracture
Fracture	ICD-9-CM Dx	802.31	Condylar process of mandible open fracture
			Subcondylar process of mandible open
Fracture	ICD-9-CM Dx	802.32	fracture
Fracture	ICD-9-CM Dx	802.33	Coronoid process of mandible open fracture
			Ramus of mandible of unspecified part open
Fracture	ICD-9-CM Dx	802.34	fracture
Fracture	ICD-9-CM Dx	802.35	Angle of jaw open fracture
Fracture	ICD-9-CM Dx	802.36	Symphysis of body of mandible open fracture
			Alveolar border of body of mandible open
Fracture	ICD-9-CM Dx	802.37	fracture
			Body of mandible of other and unspecified
Fracture	ICD-9-CM Dx	802.38	part, open fracture
Fracture	ICD-9-CM Dx	802.39	Multiple sites of mandible open fracture
			Other closed skull fracture without mention
			of intracranial injury, with state of
Fracture	ICD-9-CM Dx	803.00	consciousness unspecified
			Other closed skull fracture without mention
			of intracranial injury, with no loss of
Fracture	ICD-9-CM Dx	803.01	consciousness
			Other closed skull fracture without mention
_			of intracranial injury, with brief (less than one
Fracture	ICD-9-CM Dx	803.02	hour) loss of consciousness
			Other closed skull fracture without mention
	100 0 5115		of intracranial injury, with moderate (1-24
Fracture	ICD-9-CM Dx	803.03	hours) loss of consciousness
5	160 0 614 5	002.04	Other closed skull fracture without mention
Fracture	ICD-9-CM Dx	803.04	of intracranial injury, with prolonged (more

Fracture	ICD-9-CM Dx	803.21	hemorrhage, with no loss of consciousness
			subarachnoid, subdural, and extradural
			Other closed skull fracture with
Fracture	ICD-9-CM Dx	803.20	unspecified
			hemorrhage, with state of consciousness
			subarachnoid, subdural, and extradural
Tucture	ICD 3 CIVI DX	003.13	Other closed skull fracture with
Fracture	ICD-9-CM Dx	803.19	unspecified
			laceration and contusion, with concussion,
Tracture	ICD J-CIVI DX	003.10	Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.16	consciousness of unspecified duration
			laceration and contusion, with loss of
Tracture	ICD J-CIVI DX	003.13	Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.15	without return to pre-existing conscious level
			(more than 24 hours) loss of consciousness,
			laceration and contusion, with prolonged
Tractare	ICD 3 CIVI DX	003.14	Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.14	and return to pre-existing conscious level
			(more than 24 hours) loss of consciousness
			laceration and contusion, with prolonged
	100 0 0111 07	333.13	Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.13	24 hours) loss of consciousness
			laceration and contusion, with moderate (1-
1.000.0		333.22	Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.12	one hour) loss of consciousness
			laceration and contusion, with brief (less than
			Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.11	consciousness
			laceration and contusion, with no loss of
_		-	Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.10	consciousness unspecified
			laceration and contusion, with state of
			Other closed skull fracture with cerebral
Fracture	ICD-9-CM Dx	803.09	unspecified
			of intracranial injury, with concussion,
			Other closed skull fracture without mention
Fracture	ICD-9-CM Dx	803.06	consciousness of unspecified duration
			of intracranial injury, with loss of
· -			Other closed skull fracture without mention
Fracture	ICD-9-CM Dx	803.05	return to pre-existing conscious level
			than 24 hours) loss of consciousness, without
			of intracranial injury, with prolonged (more
			Other closed skull fracture without mention
			return to pre-existing conscious level
			than 24 hours) loss of consciousness and

l		İ	Other closed skull fracture with
			subarachnoid, subdural, and extradural
			hemorrhage, with brief (less than one hour)
Fracture	ICD-9-CM Dx	803.22	loss of consciousness
Tracture	ICD-3-CIVI DX	803.22	Other closed skull fracture with
			subarachnoid, subdural, and extradural
Fun at	ICD O CM D.	002.22	hemorrhage, with moderate (1-24 hours) loss
Fracture	ICD-9-CM Dx	803.23	of consciousness
			Other closed skull fracture with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	803.24	pre-existing conscious level
			Other closed skull fracture with
			subarachnoid, subdural, and extradural
			hemorrhage, with prolonged (more than 24
			hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	803.25	to pre-existing conscious level
			Other closed skull fracture with
			subarachnoid, subdural, and extradural
			hemorrhage, with loss of consciousness of
Fracture	ICD-9-CM Dx	803.26	unspecified duration
			Other closed skull fracture with
			subarachnoid, subdural, and extradural
Fracture	ICD-9-CM Dx	803.29	hemorrhage, with concussion, unspecified
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	803.30	state of unconsciousness unspecified
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with no
Fracture	ICD-9-CM Dx	803.31	loss of consciousness
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with
			brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	803.32	consciousness
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	803.33	moderate (1-24 hours) loss of consciousness
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with
			prolonged (more than 24 hours) loss of
			consciousness and return to pre-existing
Fracture	ICD-9-CM Dx	803.34	conscious level
	I CO O CIVI DA	333.54	Other closed skull fracture with other and
Fracture	ICD-9-CM Dx	803.35	unspecified intracranial hemorrhage, with
Tracture	ICD-3-CIVI DX	003.33	anspecified intracramar fieliformage, with

I			prolonged (more than 24 hours) loss of
			consciousness, without return to pre-existing
			conscious level
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	803.36	loss of consciousness of unspecified duration
			Other closed skull fracture with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	803.39	concussion, unspecified
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.40	state of consciousness unspecified
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.41	no loss of consciousness
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
			brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	803.42	consciousness
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.43	moderate (1-24 hours) loss of consciousness
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
			prolonged (more than 24 hours) loss of
			consciousness and return to pre-existing
Fracture	ICD-9-CM Dx	803.44	conscious level
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
			prolonged (more than 24 hours) loss of
			consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	803.45	conscious level
			Other closed skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.46	loss of consciousness of unspecified duration
			Other closed skull fracture with intracranial
	105 5 5 5	000	injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.49	concussion, unspecified
			Other open skull fracture without mention of
	100 0 5115	000	injury, with state of consciousness
Fracture	ICD-9-CM Dx	803.50	unspecified
			Other open skull fracture without mention of
F	100 0 01 10	000.51	intracranial injury, with no loss of
Fracture	ICD-9-CM Dx	803.51	consciousness

			Other open skull fracture without mention of
			intracranial injury, with brief (less than one
Fracture	ICD-9-CM Dx	803.52	hour) loss of consciousness
			Other open skull fracture without mention of
			intracranial injury, with moderate (1-24
Fracture	ICD-9-CM Dx	803.53	hours) loss of consciousness
			Other open skull fracture without mention of
			intracranial injury, with prolonged (more than
			24 hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	803.54	pre-existing conscious level
			Other open skull fracture without mention of
			intracranial injury, with prolonged (more than
			24 hours) loss of consciousness, without
Fracture	ICD-9-CM Dx	803.55	return to pre-existing conscious level
			Other open skull fracture without mention of
			intracranial injury, with loss of consciousness
Fracture	ICD-9-CM Dx	803.56	of unspecified duration
			Other open skull fracture without mention of
			intracranial injury, with concussion,
Fracture	ICD-9-CM Dx	803.59	unspecified
			Other open skull fracture with cerebral
			laceration and contusion, with state of
Fracture	ICD-9-CM Dx	803.60	consciousness unspecified
			Other open skull fracture with cerebral
			laceration and contusion, with no loss of
Fracture	ICD-9-CM Dx	803.61	consciousness
			Other open skull fracture with cerebral
			laceration and contusion, with brief (less than
Fracture	ICD-9-CM Dx	803.62	one hour) loss of consciousness
			Other open skull fracture with cerebral
			laceration and contusion, with moderate (1-
Fracture	ICD-9-CM Dx	803.63	24 hours) loss of consciousness
			Other open skull fracture with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	803.64	and return to pre-existing conscious level
			Other open skull fracture with cerebral
			laceration and contusion, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	803.65	without return to pre-existing conscious level
			Other open skull fracture with cerebral
			laceration and contusion, with loss of
Fracture	ICD-9-CM Dx	803.66	consciousness of unspecified duration

Fracture ICD-9-CM Dx 803.74 cons Othe subd prolo cons Fracture ICD-9-CM Dx 803.75 cons Othe	cious level er open skull fracture with subarachnoid, ural, and extradural hemorrhage, with onged (more than 24 hours) loss of ciousness, without return to pre-existing
Fracture ICD-9-CM Dx 803.74 cons Othe subd prolocons Fracture ICD-9-CM Dx 803.75 cons Othe	er open skull fracture with subarachnoid, ural, and extradural hemorrhage, with onged (more than 24 hours) loss of
Fracture ICD-9-CM Dx 803.74 cons Othe subd prolo cons Fracture ICD-9-CM Dx 803.75 cons Othe	cious level er open skull fracture with subarachnoid, ural, and extradural hemorrhage, with onged (more than 24 hours) loss of
Fracture ICD-9-CM Dx 803.75 cons Other	ural, and extradural hemorrhage, with onged (more than 24 hours) loss of
Fracture ICD-9-CM Dx 803.75 cons Other	onged (more than 24 hours) loss of
Fracture ICD-9-CM Dx 803.75 cons Othe	
Fracture ICD-9-CM Dx 803.75 cons Other	ciousness, without return to pre-existing
Othe	,
	cious level
	r open skull fracture with subarachnoid,
Subd	ural, and extradural hemorrhage, with
	of consciousness of unspecified duration
	er open skull fracture with subarachnoid,
	ural, and extradural hemorrhage, with
	ussion, unspecified
	er open skull fracture with other and
	ecified intracranial hemorrhage, with
· ·	of consciousness unspecified
	er open skull fracture with other and
	•
	•
	•
	and the all the transmit and the control of the con
brief	ecified intracranial hemorrhage, with
Fracture ICD-9-CM Dx 803.82 cons	(less than one hour) loss of
	(less than one hour) loss of
Othe	(less than one hour) loss of ciousness
Fracture ICD-9-CM Dx 803.81 loss of Other unsp brief	ecified intracranial hemorrhage, with no of consciousness or open skull fracture with other and

			Other open skull fracture with other and
			unspecified intracranial hemorrhage, with
			prolonged (more than 24 hours) loss of
			consciousness and return to pre-existing
Fracture	ICD-9-CM Dx	803.84	conscious level
			Other open skull fracture with other and
			unspecified intracranial hemorrhage, with
			prolonged (more than 24 hours) loss of
			consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	803.85	conscious level
			Other open skull fracture with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	803.86	loss of consciousness of unspecified duration
			Other open skull fracture with other and
			unspecified intracranial hemorrhage, with
Fracture	ICD-9-CM Dx	803.89	concussion, unspecified
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.90	state of consciousness unspecified
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.91	no loss of consciousness
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
			brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	803.92	consciousness
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.93	moderate (1-24 hours) loss of consciousness
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
			prolonged (more than 24 hours) loss of
			consciousness and return to pre-existing
Fracture	ICD-9-CM Dx	803.94	conscious level
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
			prolonged (more than 24 hours) loss of
			consciousness, without return to pre-existing
Fracture	ICD-9-CM Dx	803.95	conscious level
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.96	loss of consciousness of unspecified duration
			Other open skull fracture with intracranial
			injury of other and unspecified nature, with
Fracture	ICD-9-CM Dx	803.99	concussion, unspecified

			Closed fractures involving skull or face with
			other bones, without mention of intracranial
			injury, with state of consciousness
Fracture	ICD-9-CM Dx	804.00	unspecified
			Closed fractures involving skull or face with
			other bones, without mention of intracranial
Fracture	ICD-9-CM Dx	804.01	injury, with no loss of consciousness
			Closed fractures involving skull or face with
			other bones, without mention of intracranial
			injury, with brief (less than one hour) loss of
Fracture	ICD-9-CM Dx	804.02	consciousness
			Closed fractures involving skull or face with
			other bones, without mention of intracranial
			injury, with moderate (1-24 hours) loss of
Fracture	ICD-9-CM Dx	804.03	consciousness
			Closed fractures involving skull or face with
			other bones, without mention or intracranial
			injury, with prolonged (more than 24 hours)
			loss of consciousness and return to pre-
Fracture	ICD-9-CM Dx	804.04	existing conscious level
			Closed fractures involving skull of face with
			other bones, without mention of intracranial
			injury, with prolonged (more than 24 hours)
			loss of consciousness, without return to pre-
Fracture	ICD-9-CM Dx	804.05	existing conscious level
			Closed fractures involving skull of face with
			other bones, without mention of intracranial
			injury, with loss of consciousness of
Fracture	ICD-9-CM Dx	804.06	unspecified duration
			Closed fractures involving skull of face with
			other bones, without mention of intracranial
Fracture	ICD-9-CM Dx	804.09	injury, with concussion, unspecified
			Closed fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with state of consciousness
Fracture	ICD-9-CM Dx	804.10	unspecified
			Closed fractures involving skull or face with
			other bones, with cerebral laceration and
Fracture	ICD-9-CM Dx	804.11	contusion, with no loss of consciousness
			Closed fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with brief (less than one hour) loss
Fracture	ICD-9-CM Dx	804.12	of consciousness
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.13	other bones, with cerebral laceration and

			contusion, with moderate (1-24 hours) loss of
			consciousness
_			Closed fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with prolonged (more than 24
			hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	804.14	pre-existing conscious level
Tractare	TED 5 CIVI DX	001.11	Closed fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with prolonged (more than 24
For atoms	ICD O CNA D.	004.45	hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	804.15	to pre-existing conscious level
			Closed fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with loss of consciousness of
Fracture	ICD-9-CM Dx	804.16	unspecified duration
			Closed fractures involving skull or face with
			other bones, with cerebral laceration and
Fracture	ICD-9-CM Dx	804.19	contusion, with concussion, unspecified
			Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with state of
Fracture	ICD-9-CM Dx	804.20	consciousness unspecified
			Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with no loss of
Fracture	ICD-9-CM Dx	804.21	consciousness
	100 0 0 0	00	Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with brief (less
Fracture	ICD-9-CM Dx	804.22	than one hour) loss of consciousness
Tracture	ICD-3-CIVI DX	804.22	Closed fractures involving skull or face with
			_
			other bones with subarachnoid, subdural,
F	100 0 014 0	004.33	and extradural hemorrhage, with moderate
Fracture	ICD-9-CM Dx	804.23	(1-24 hours) loss of consciousness
			Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	804.24	and return to pre-existing conscious level
			Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	804.25	without return to pre-existing conscious level

		1	Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with loss of
Fracture	ICD-9-CM Dx	804.26	consciousness of unspecified duration
Tracture	ICD-J-CIVI DX	804.20	Closed fractures involving skull or face with
			other bones with subarachnoid, subdural,
			· · · · · · · · · · · · · · · · · · ·
Fracture	ICD-9-CM Dx	804.29	and extradural hemorrhage, with concussion, unspecified
Fracture	ICD-9-CIVI DX	604.29	Closed fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with state of
Fracture	ICD-9-CM Dx	804.30	_
rracture	ICD-9-CIVI DX	804.30	consciousness unspecified
			Closed fractures involving skull or face with
			other bones, with other and unspecified
Fun atuma	ICD O CM Dy	004.31	intracranial hemorrhage, with no loss of consciousness
Fracture	ICD-9-CM Dx	804.31	
			Closed fractures involving skull or face with
			other bones, with other and unspecified
Fue et	ICD O CM D.	004.33	intracranial hemorrhage, with brief (less than
Fracture	ICD-9-CM Dx	804.32	one hour) loss of consciousness
			Closed fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with moderate (1-
Fracture	ICD-9-CM Dx	804.33	24 hours) loss of consciousness
			Closed fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	804.34	and return to pre- existing conscious level
			Closed fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	804.35	without return to pre-existing conscious level
			Closed fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with loss of
Fracture	ICD-9-CM Dx	804.36	consciousness of unspecified duration
			Closed fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with concussion,
Fracture	ICD-9-CM Dx	804.39	unspecified
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.40	other bones, with intracranial injury of other

Fracture	ICD-9-CM Dx	804.53	other bones, without mention of intracranial
Fracture	ICD-9-CM Dx	804.52	consciousness Open fractures involving skull or face with
	100 0 5115	004-5	injury, with brief (less than one hour) loss of
			other bones, without mention of intracranial
acture	ICD 3 CIVI DA	50 7.51	Open fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.51	injury, with no loss of consciousness
			other bones, without mention of intracranial
Fracture	ICD-9-CIVI DX	804.50	Unspecified Open fractures involving skull or face with
Eractura	ICD-9-CM Dx	904 50	injury, with state of consciousness
			other bones, without mention of intracranial
			Open fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.49	unspecified
Facations	100 0 014 0	004.40	and unspecified nature, with concussion,
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.46	consciousness of unspecified duration
			and unspecified nature, with loss of
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.45	without return to pre-existing conscious level
			(more than 24 hours) loss of consciousness,
			and unspecified nature, with prolonged
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.44	and return to pre-existing conscious level
_			(more than 24 hours) loss of consciousness
			and unspecified nature, with prolonged
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.43	hours) loss of consciousness
		004.55	and unspecified nature, with moderate (1-24
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.42	one hour) loss of consciousness
			and unspecified nature, with brief (less than
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.41	consciousness
			and unspecified nature, with no loss of
			other bones, with intracranial injury of other
			Closed fractures involving skull or face with
			consciousness unspecified
			and unspecified nature, with state of

I		1	injury, with moderate (1-24 hours) loss of
			consciousness
			Open fractures involving skull or face with
			other bones, without mention of intracranial
			injury, with prolonged (more than 24 hours)
			loss of consciousness and return to pre-
Fracture	ICD-9-CM Dx	804.54	existing conscious level
Tracture	ICD 3 CIVI DX	004.54	Open fractures involving skull or face with
			other bones, without mention of intracranial
			injury, with prolonged (more than 24 hours)
			loss of consciousness, without return to pre-
Fracture	ICD-9-CM Dx	804.55	· · · · · · · · · · · · · · · · · · ·
riacture	ICD-9-CIVI DX	604.33	existing conscious level
			Open fractures involving skull or face with
			other bones, without mention of intracranial
	100 0 014 0	204.56	injury, with loss of consciousness of
Fracture	ICD-9-CM Dx	804.56	unspecified duration
			Open fractures involving skull or face with
			other bones, without mention of intracranial
Fracture	ICD-9-CM Dx	804.59	injury, with concussion, unspecified
			Open fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with state of consciousness
Fracture	ICD-9-CM Dx	804.60	unspecified
			Open fractures involving skull or face with
			other bones, with cerebral laceration and
Fracture	ICD-9-CM Dx	804.61	contusion, with no loss of consciousness
			Open fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with brief (less than one hour) loss
Fracture	ICD-9-CM Dx	804.62	of consciousness
			Open fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with moderate (1-24 hours) loss of
Fracture	ICD-9-CM Dx	804.63	consciousness
			Open fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with prolonged (more than 24
			hours) loss of consciousness and return to
Fracture	ICD-9-CM Dx	804.64	pre-existing conscious level
-			Open fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with prolonged (more than 24
			hours) loss of consciousness, without return
Fracture	ICD-9-CM Dx	804.65	to pre-existing conscious level
rracture	ICD-3-CIVI DX	004.03	to pre-existing conscious level

			Open fractures involving skull or face with
			other bones, with cerebral laceration and
			contusion, with loss of consciousness of
Fracture	ICD-9-CM Dx	804.66	unspecified duration
			Open fractures involving skull or face with
			other bones, with cerebral laceration and
Fracture	ICD-9-CM Dx	804.69	contusion, with concussion, unspecified
- ractare	TOD 5 CIVI DX	5055	Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with state of
Fracture	ICD-9-CM Dx	804.70	consciousness unspecified
Tractare	ICD 5 CIVI DX	004.70	Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with no loss of
Fracture	ICD-9-CM Dx	804.71	consciousness
Fracture	ICD-9-CIVI DX	004.71	Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
Faceture	ICD O CM Dy	004.72	and extradural hemorrhage, with brief (less
Fracture	ICD-9-CM Dx	804.72	than one hour) loss of consciousness
			Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with moderate
Fracture	ICD-9-CM Dx	804.73	(1-24 hours) loss of consciousness
			Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	804.74	and return to pre-existing conscious level
			Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	804.75	without return to pre-existing conscious level
			Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with loss of
Fracture	ICD-9-CM Dx	804.76	consciousness of unspecified duration
			Open fractures involving skull or face with
			other bones with subarachnoid, subdural,
			and extradural hemorrhage, with concussion,
Fracture	ICD-9-CM Dx	804.79	unspecified
			Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with state of
Fracture	ICD-9-CM Dx	804.80	consciousness unspecified

			Open fractures involving skull or face with other bones, with other and unspecified
F	100 0 014 0	004.04	intracranial hemorrhage, with no loss of
Fracture	ICD-9-CM Dx	804.81	consciousness Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with brief (less than
Fracture	ICD-9-CM Dx	804.82	one hour) loss of consciousness
Tracture	ICD-3-CIVI DX	804.82	Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with moderate (1-
Fracture	ICD-9-CM Dx	804.83	24 hours) loss of consciousness
Tracture	ICD-3-CIVI DX	804.83	Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	804.84	and return to pre-existing conscious level
Tracture	ICD-3-CIVI DX	304.84	Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	804.85	without return to pre-existing conscious level
Tracture	ICD-3-CIVI DX	804.83	Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with loss of
Fracture	ICD-9-CM Dx	804.86	consciousness of unspecified duration
Tracture	ICD-3-CIVI DX	304.80	Open fractures involving skull or face with
			other bones, with other and unspecified
			intracranial hemorrhage, with concussion,
Fracture	ICD-9-CM Dx	804.89	unspecified
Tractare	ICD 3 CIVI DX	004.03	Open fractures involving skull or face with
			other bones, with intracranial injury of other
			and unspecified nature, with state of
Fracture	ICD-9-CM Dx	804.90	consciousness unspecified
Tractare	ICD 5 CIVI DX	004.50	Open fractures involving skull or face with
			other bones, with intracranial injury of other
			and unspecified nature, with no loss of
Fracture	ICD-9-CM Dx	804.91	consciousness
	100 3 0111 07	3331	Open fractures involving skull or face with
			other bones, with intracranial injury of other
			and unspecified nature, with brief (less than
Fracture	ICD-9-CM Dx	804.92	one hour) loss of consciousness
			Open fractures involving skull or face with
Fracture	ICD-9-CM Dx	804.93	other bones, with intracranial injury of other
. 1400410	100 0 0111 07	0055	out.or solics, man intracrama injury or other

			and unspecified nature, with moderate (1-24
			hours) loss of consciousness
			Open fractures involving skull or face with
			other bones, with intracranial injury of other
			and unspecified nature, with prolonged
			(more than 24 hours) loss of consciousness
Fracture	ICD-9-CM Dx	804.94	and return to pre-existing conscious level
			Open fractures involving skull or face with
			other bones, with intracranial injury of other
			and unspecified nature, with prolonged
			(more than 24 hours) loss of consciousness,
Fracture	ICD-9-CM Dx	804.95	without return to pre-existing level
			Open fractures involving skull or face with
			other bones, with intracranial injury of other
Fue et une	ICD O CM Dy	204.00	and unspecified nature, with loss of
Fracture	ICD-9-CM Dx	804.96	consciousness of unspecified duration
			Open fractures involving skull or face with other bones, with intracranial injury of other
			and unspecified nature, with concussion,
Fracture	ICD-9-CM Dx	804.99	unspecified
Tractare	ICD 3 CIVI DX	004.55	Closed fracture of cervical vertebra,
Fracture	ICD-9-CM Dx	805.00	unspecified level
Fracture	ICD-9-CM Dx	805.01	Closed fracture of first cervical vertebra
Fracture	ICD-9-CM Dx	805.02	Closed fracture of second cervical vertebra
Fracture	ICD-9-CM Dx	805.03	Closed fracture of third cervical vertebra
Fracture	ICD-9-CM Dx	805.04	Closed fracture of fourth cervical vertebra
Fracture	ICD-9-CM Dx	805.05	Closed fracture of fifth cervical vertebra
Fracture	ICD-9-CM Dx	805.06	Closed fracture of sixth cervical vertebra
Fracture	ICD-9-CM Dx	805.07	Closed fracture of seventh cervical vertebra
Fracture	ICD-9-CM Dx	805.08	Closed fracture of multiple cervical vertebrae
			Open fracture of cervical vertebra,
Fracture	ICD-9-CM Dx	805.10	unspecified level
Fracture	ICD-9-CM Dx	805.11	Open fracture of first cervical vertebra
Fracture	ICD-9-CM Dx	805.12	Open fracture of second cervical vertebra
Fracture	ICD-9-CM Dx	805.13	Open fracture of third cervical vertebra
Fracture	ICD-9-CM Dx	805.14	Open fracture of fourth cervical vertebra
Fracture	ICD-9-CM Dx	805.15	Open fracture of fifth cervical vertebra
Fracture	ICD-9-CM Dx	805.16	Open fracture of sixth cervical vertebra
Fracture	ICD-9-CM Dx	805.17	Open fracture of seventh cervical vertebra
Fracture	ICD-9-CM Dx	805.18	Open fracture of multiple cervical vertebrae
		000	Closed fracture of C1-C4 level with
Fracture	ICD-9-CM Dx	806.00	unspecified spinal cord injury

			Closed fracture of C1-C4 level with complete
Fracture	ICD-9-CM Dx	806.01	lesion of cord
			Closed fracture of C1-C4 level with anterior
Fracture	ICD-9-CM Dx	806.02	cord syndrome
			Closed fracture of C1-C4 level with central
Fracture	ICD-9-CM Dx	806.03	cord syndrome
			Closed fracture of C1-C4 level with other
Fracture	ICD-9-CM Dx	806.04	specified spinal cord injury
			Closed fracture of C5-C7 level with
Fracture	ICD-9-CM Dx	806.05	unspecified spinal cord injury
			Closed fracture of C5-C7 level with complete
Fracture	ICD-9-CM Dx	806.06	lesion of cord
			Closed fracture of C5-C7 level with anterior
Fracture	ICD-9-CM Dx	806.07	cord syndrome
			Closed fracture of C5-C7 level with central
Fracture	ICD-9-CM Dx	806.08	cord syndrome
			Closed fracture of C5-C7 level with other
Fracture	ICD-9-CM Dx	806.09	specified spinal cord injury
			Open fracture of C1-C4 level with unspecified
Fracture	ICD-9-CM Dx	806.10	spinal cord injury
			Open fracture of C1-C4 level with complete
Fracture	ICD-9-CM Dx	806.11	lesion of cord
			Open fracture of C1-C4 level with anterior
Fracture	ICD-9-CM Dx	806.12	cord syndrome
			Open fracture of C1-C4 level with central cord
Fracture	ICD-9-CM Dx	806.13	syndrome
			Open fracture of C1-C4 level with other
Fracture	ICD-9-CM Dx	806.14	specified spinal cord injury
			Open fracture of C5-C7 level with unspecified
Fracture	ICD-9-CM Dx	806.15	spinal cord injury
			Open fracture of C5-C7 level with complete
Fracture	ICD-9-CM Dx	806.16	lesion of cord
			Open fracture of C5-C7 level with anterior
Fracture	ICD-9-CM Dx	806.17	cord syndrome
			Open fracture of C5-C7 level with central cord
Fracture	ICD-9-CM Dx	806.18	syndrome
			Open fracture of C5-C7 level with other
Fracture	ICD-9-CM Dx	806.19	specified spinal cord injury
			Closed fracture of T1-T6 level with
Fracture	ICD-9-CM Dx	806.20	unspecified spinal cord injury
			Closed fracture of T1-T6 level with complete
Fracture	ICD-9-CM Dx	806.21	lesion of cord
			Closed fracture of T1-T6 level with anterior
Fracture	ICD-9-CM Dx	806.22	cord syndrome

			Closed fracture of T1-TT level with central
Fracture	ICD-9-CM Dx	806.23	cord syndrome
			Closed fracture of T1-T6 level with other
Fracture	ICD-9-CM Dx	806.24	specified spinal cord injury
			Closed fracture of T7-T12 level with
Fracture	ICD-9-CM Dx	806.25	unspecified spinal cord injury
	100 0 0	3333.23	Closed fracture of T7-T12 level with complete
Fracture	ICD-9-CM Dx	806.26	lesion of cord
			Closed fracture of T7-T12 level with anterior
Fracture	ICD-9-CM Dx	806.27	cord syndrome
			Closed fracture of T7-T12 level with central
Fracture	ICD-9-CM Dx	806.28	cord syndrome
			Closed fracture of T7-T12 level with other
Fracture	ICD-9-CM Dx	806.29	specified spinal cord injury
			Open fracture of T1-T6 level with unspecified
Fracture	ICD-9-CM Dx	806.30	spinal cord injury
			Open fracture of T1-T6 level with complete
Fracture	ICD-9-CM Dx	806.31	lesion of cord
			Open fracture of T1-T6 level with anterior
Fracture	ICD-9-CM Dx	806.32	cord syndrome
			Open fracture of T1-T6 level with central cord
Fracture	ICD-9-CM Dx	806.33	syndrome
			Open fracture of T1-T6 level with other
Fracture	ICD-9-CM Dx	806.34	specified spinal cord injury
			Open fracture of T7-T12 level with
Fracture	ICD-9-CM Dx	806.35	unspecified spinal cord injury
			Open fracture of T7-T12 level with complete
Fracture	ICD-9-CM Dx	806.36	lesion of cord
			Open fracture of T7-T12 level with anterior
Fracture	ICD-9-CM Dx	806.37	cord syndrome
			Open fracture of T7-T12 level with central
Fracture	ICD-9-CM Dx	806.38	cord syndrome
			Open fracture of T7-T12 level with other
Fracture	ICD-9-CM Dx	806.39	specified spinal cord injury
			Closed fracture of sacrum and coccyx with
Fracture	ICD-9-CM Dx	806.60	unspecified spinal cord injury
			Closed fracture of sacrum and coccyx with
Fracture	ICD-9-CM Dx	806.61	complete cauda equina lesion
			Closed fracture of sacrum and coccyx with
Fracture	ICD-9-CM Dx	806.62	other cauda equina injury
			Closed fracture of sacrum and coccyx with
Fracture	ICD-9-CM Dx	806.69	other spinal cord injury
			Open fracture of sacrum and coccyx with
Fracture	ICD-9-CM Dx	806.70	unspecified spinal cord injury

		Open fracture of sacrum and coccyx with
ICD-9-CM Dx	806.71	complete cauda equina lesion
		Open fracture of sacrum and coccyx with
ICD-9-CM Dx	806.72	other cauda equina injury
		Open fracture of sacrum and coccyx with
ICD-9-CM Dx	806.79	other spinal cord injury
ICD-9-CM Dx	807.00	Closed fracture of rib(s), unspecified
ICD-9-CM Dx	807.01	Closed fracture of one rib
ICD-9-CM Dx	807.02	Closed fracture of two ribs
ICD-9-CM Dx	807.03	Closed fracture of three ribs
ICD-9-CM Dx	807.04	Closed fracture of four ribs
ICD-9-CM Dx	807.05	Closed fracture of five ribs
ICD-9-CM Dx	807.06	Closed fracture of six ribs
ICD-9-CM Dx	807.07	Closed fracture of seven ribs
ICD-9-CM Dx	807.08	Closed fracture of eight or more ribs
ICD-9-CM Dx	807.09	Closed fracture of multiple ribs, unspecified
ICD-9-CM Dx	807.10	Open fracture of rib(s), unspecified
ICD-9-CM Dx	807.11	Open fracture of one rib
ICD-9-CM Dx	807.12	Open fracture of two ribs
ICD-9-CM Dx	807.13	Open fracture of three ribs
ICD-9-CM Dx	807.14	Open fracture of four ribs
ICD-9-CM Dx	807.15	Open fracture of five ribs
ICD-9-CM Dx	807.16	Open fracture of six ribs
ICD-9-CM Dx	807.17	Open fracture of seven ribs
ICD-9-CM Dx	807.18	Open fracture of eight or more ribs
ICD-9-CM Dx	807.19	Open fracture of multiple ribs, unspecified
ICD-9-CM Dx	808.41	Closed fracture of ilium
ICD-9-CM Dx	808.42	Closed fracture of ischium
		Multiple closed pelvic fractures with
ICD-9-CM Dx	808.43	disruption of pelvic circle
		Multiple closed pelvic fractures without
ICD-9-CM Dx	808.44	disruption of pelvic circle
100 0 014 0	200.40	Closed fracture of other specified part of
		pelvis
	<u> </u>	Open fracture of ilium
ICD-9-CM Dx	808.52	Open fracture of ischium
ICD O CM Dy	909 53	Multiple open pelvic fractures with disruption
ICD-9-CIVI DX	808.53	of pelvic circle Multiple open pelvic fractures without
ICD-9-CM Dx	808.54	disruption of pelvic circle
		Open fracture of other specified part of pelvis
	ICD-9-CM Dx	ICD-9-CM Dx 806.72 ICD-9-CM Dx 807.00 ICD-9-CM Dx 807.01 ICD-9-CM Dx 807.02 ICD-9-CM Dx 807.03 ICD-9-CM Dx 807.04 ICD-9-CM Dx 807.05 ICD-9-CM Dx 807.06 ICD-9-CM Dx 807.06 ICD-9-CM Dx 807.08 ICD-9-CM Dx 807.09 ICD-9-CM Dx 807.10 ICD-9-CM Dx 807.11 ICD-9-CM Dx 807.12 ICD-9-CM Dx 807.13 ICD-9-CM Dx 807.13 ICD-9-CM Dx 807.15 ICD-9-CM Dx 807.16 ICD-9-CM Dx 807.16 ICD-9-CM Dx 807.17 ICD-9-CM Dx 807.18 ICD-9-CM Dx 807.19 ICD-9-CM Dx 808.41 ICD-9-CM Dx 808.41 ICD-9-CM Dx 808.42 ICD-9-CM Dx 808.43 ICD-9-CM Dx 808.53 ICD-9-CM Dx 808.53 ICD-9-CM Dx 808.53

Fracture	ICD-9-CM Dx	810.00	Closed fracture of clavicle, unspecified part
Fracture	ICD-9-CM Dx	810.01	Closed fracture of sternal end of clavicle
Fracture	ICD-9-CM Dx	810.02	Closed fracture of shaft of clavicle
Fracture	ICD-9-CM Dx	810.03	Closed fracture of acromial end of clavicle
Fracture	ICD-9-CM Dx	810.10	Open fracture of clavicle, unspecified part
Fracture	ICD-9-CM Dx	810.11	Open fracture of sternal end of clavicle
Fracture	ICD-9-CM Dx	810.12	Open fracture of shaft of clavicle
Fracture	ICD-9-CM Dx	810.13	Open fracture of acromial end of clavicle
Fracture	ICD-9-CM Dx	811.00	Closed fracture of scapula, unspecified part
_			Closed fracture of acromial process of
Fracture	ICD-9-CM Dx	811.01	scapula
Fracture	ICD-9-CM Dx	811.02	Closed fracture of coracoid process of scapula
			Closed fracture of glenoid cavity and neck of
Fracture	ICD-9-CM Dx	811.03	scapula
Fracture	ICD-9-CM Dx	811.09	Closed fracture of other part of scapula
Fracture	ICD-9-CM Dx	811.10	Open fracture of scapula, unspecified part
Fracture	ICD-9-CM Dx	811.11	Open fracture of acromial process of scapula
Fracture	ICD-9-CM Dx	811.12	Open fracture of coracoid process
			Open fracture of glenoid cavity and neck of
Fracture	ICD-9-CM Dx	811.13	scapula
Fracture	ICD-9-CM Dx	811.19	Open fracture of other part of scapula
			Fracture of unspecified part of upper end of
Fracture	ICD-9-CM Dx	812.00	humerus, closed
Fracture	ICD-9-CM Dx	812.01	Fracture of surgical neck of humerus, closed
			Fracture of anatomical neck of humerus,
Fracture	ICD-9-CM Dx	812.02	closed
Fracture	ICD-9-CM Dx	812.03	Fracture of greater tuberosity of humerus, closed
Fracture	ICD-9-CIVI DX	612.03	Other closed fractures of upper end of
Fracture	ICD-9-CM Dx	812.09	humerus
Tructure	TOD 3 CIVI DX	012.03	Fracture of unspecified part of upper end of
Fracture	ICD-9-CM Dx	812.10	humerus, open
Fracture	ICD-9-CM Dx	812.11	Fracture of surgical neck of humerus, open
_			Fracture of anatomical neck of humerus,
Fracture	ICD-9-CM Dx	812.12	open
			Fracture of greater tuberosity of humerus,
Fracture	ICD-9-CM Dx	812.13	open
Fracture	ICD-9-CM Dx	812.19	Other open fracture of upper end of humerus
			Closed fracture of unspecified part of
Fracture	ICD-9-CM Dx	812.20	humerus
Fracture	ICD-9-CM Dx	812.21	Closed fracture of shaft of humerus

			Fracture of unspecified part of humerus,
Fracture	ICD-9-CM Dx	812.30	open
Fracture	ICD-9-CM Dx	812.31	Fracture of shaft of humerus, open
			Fracture of unspecified part of lower end of
Fracture	ICD-9-CM Dx	812.40	humerus, closed
Fracture	ICD-9-CM Dx	812.41	Fracture of humerus, supracondylar closed
			Fracture of lateral condyle of humerus,
Fracture	ICD-9-CM Dx	812.42	closed
			Fracture of medial condyle of humerus,
Fracture	ICD-9-CM Dx	812.43	closed
			Fracture of unspecified condyle(s) of
Fracture	ICD-9-CM Dx	812.44	humerus, closed
Fun atuus	ICD O CM Dv	012.40	Other closed fractures of lower end of
Fracture	ICD-9-CM Dx	812.49	humerus Fracture of unspecified part of lower end of
Fracture	ICD-9-CM Dx	812.50	humerus, open
Fracture	ICD-9-CM Dx	812.51	Fracture of humerus, supracondylar open
	ICD-9-CIVI DX		
Fracture		812.52	Fracture of lateral condyle of humerus, open
Fracture	ICD-9-CM Dx	812.53	Fracture of medial condyle of humerus, open
Fracture	ICD-9-CM Dx	812.54	Fracture of unspecified condyle(s) of
Fracture	ICD-9-CIVI DX	612.54	humerus, open Other fracture of lower end of humerus,
Fracture	ICD-9-CM Dx	812.59	open
Tractare	ICD 5 CIVI DX	012.33	Fracture closed of upper end of forearm,
Fracture	ICD-9-CM Dx	813.00	unspecified
Fracture	ICD-9-CM Dx	813.01	Fracture of olecranon process of ulna, closed
Fracture	ICD-9-CM Dx	813.02	Fracture of coronoid process of ulna, closed
Fracture	ICD-9-CM Dx	813.03	Fracture Monteggia's, closed
Tractare	TOD 3 CIVI DX	013.03	Other and unspecified closed fractures of
Fracture	ICD-9-CM Dx	813.04	proximal end of ulna (alone)
Fracture	ICD-9-CM Dx	813.05	Fracture of head of radius, closed
Fracture	ICD-9-CM Dx	813.06	Fracture of neck of radius, closed
	102 0 0 27	320.00	Fractures of proximal end of radius (alone),
Fracture	ICD-9-CM Dx	813.07	other and unspecified closed
			Fracture of radius with ulna, upper end (any
Fracture	ICD-9-CM Dx	813.08	part), closed
			Fracture open of upper end of forearm,
Fracture	ICD-9-CM Dx	813.10	unspecified
Fracture	ICD-9-CM Dx	813.11	Fracture of olecranon process of ulna, open
Fracture	ICD-9-CM Dx	813.12	Fracture of coronoid process of ulna, open
Fracture	ICD-9-CM Dx	813.13	Fracture, Monteggia's open
			Other and unspecified open fractures of
Fracture	ICD-9-CM Dx	813.14	proximal end of ulna (alone)

Fracture	ICD-9-CM Dx	813.15	Fracture of head of radius, open
Fracture	ICD-9-CM Dx	813.16	Fracture of neck of radius, open
			Other and unspecified open fractures of
Fracture	ICD-9-CM Dx	813.17	proximal end of radius (alone)
			Fracture of radius with ulna, upper end (any
Fracture	ICD-9-CM Dx	813.18	part), open
			Fracture of shaft of radius or ulna,
Fracture	ICD-9-CM Dx	813.20	unspecified, closed
Fracture	ICD-9-CM Dx	813.21	Fracture of shaft of radius (alone), closed
Fracture	ICD-9-CM Dx	813.22	Fracture of shaft of ulna (alone), closed
Fracture	ICD-9-CM Dx	813.23	Fracture of shaft of radius with ulna, closed
			Fracture of shaft of radius or ulna,
Fracture	ICD-9-CM Dx	813.30	unspecified, open
Fracture	ICD-9-CM Dx	813.31	Fracture of shaft of radius (alone), open
Fracture	ICD-9-CM Dx	813.32	Fracture of shaft of ulna (alone), open
Fracture	ICD-9-CM Dx	813.33	Fracture of shaft of radius with ulna, open
			Fracture closed of lower end of forearm,
Fracture	ICD-9-CM Dx	813.40	unspecified
Fracture	ICD-9-CM Dx	813.41	Fracture, closed, Colles'
			Other closed fractures of distal end of radius
Fracture	ICD-9-CM Dx	813.42	(alone)
Fracture	ICD-9-CM Dx	813.43	Fracture of distal end of ulna (alone), closed
			Fracture of lower end of radius with ulna,
Fracture	ICD-9-CM Dx	813.44	closed
Fracture	ICD-9-CM Dx	813.45	Torus fracture of radius (alone)
Fracture	ICD-9-CM Dx	813.46	Torus fracture of ulna (alone)
Fracture	ICD-9-CM Dx	813.47	Torus fracture of radius and ulna
			Open fracture of lower end of forearm,
Fracture	ICD-9-CM Dx	813.50	unspecified
Fracture	ICD-9-CM Dx	813.51	Colles' fracture, open
			Other open fractures of distal end of radius
Fracture	ICD-9-CM Dx	813.52	(alone)
Fracture	ICD-9-CM Dx	813.53	Fracture of distal end of ulna (alone), open
			Fracture of lower end of radius with ulna,
Fracture	ICD-9-CM Dx	813.54	open
			Closed fracture of unspecified part of
Fracture	ICD-9-CM Dx	813.80	forearm
			Fracture of unspecified part of radius (alone),
Fracture	ICD-9-CM Dx	813.81	closed
			Fracture of unspecified part of ulna (alone),
Fracture	ICD-9-CM Dx	813.82	closed
E I	100.0.0110	042.00	Fracture of unspecified part of radius with
Fracture	ICD-9-CM Dx	813.83	ulna, closed

Fracture	ICD-9-CM Dx	813.90	Fracture of unspecified part of forearm, open
			Fracture of unspecified part of radius (alone),
Fracture	ICD-9-CM Dx	813.91	open
			Fracture of unspecified part of ulna (alone),
Fracture	ICD-9-CM Dx	813.92	open
			Fracture of unspecified part of radius with
Fracture	ICD-9-CM Dx	813.93	ulna, open
Fracture	ICD-9-CM Dx	814.00	Closed fracture of carpal bone, unspecified
			Closed fracture of navicular (scaphoid) bone
Fracture	ICD-9-CM Dx	814.01	of wrist
			Closed fracture of lunate (semilunar) bone of
Fracture	ICD-9-CM Dx	814.02	wrist
			Closed fracture of triquetral (cuneiform) bone
Fracture	ICD-9-CM Dx	814.03	of wrist
Fracture	ICD-9-CM Dx	814.04	Closed fracture of pisiform bone of wrist
			Closed fracture of trapezium bone (larger
Fracture	ICD-9-CM Dx	814.05	multangular) of wrist
			Closed fracture of trapezoid bone (smaller
Fracture	ICD-9-CM Dx	814.06	multangular) of wrist
			Closed fracture of capitate bone (os
Fracture	ICD-9-CM Dx	814.07	magnum) of wrist
			Closed fracture of hamate (unciform) bone of
Fracture	ICD-9-CM Dx	814.08	wrist
Fracture	ICD-9-CM Dx	814.09	Closed fracture of other bone of wrist
Fracture	ICD-9-CM Dx	814.10	Open fracture of carpal bone, unspecified
			Open fracture of navicular (scaphoid) bone of
Fracture	ICD-9-CM Dx	814.11	wrist
			Open fracture of lunate (semilunar) bone of
Fracture	ICD-9-CM Dx	814.12	wrist
			Open fracture of triquetral (cuneiform) bone
Fracture	ICD-9-CM Dx	814.13	of wrist
Fracture	ICD-9-CM Dx	814.14	Open fracture of pisiform bone of wrist
			Open fracture of trapezium bone (larger
Fracture	ICD-9-CM Dx	814.15	multangular) of wrist
			Open fracture of trapezoid bone (smaller
Fracture	ICD-9-CM Dx	814.16	multangular) of wrist
			Open fracture of capitate bone (os magnum)
Fracture	ICD-9-CM Dx	814.17	of wrist
			Open fracture of hamate (unciform) bone of
Fracture	ICD-9-CM Dx	814.18	wrist
Fracture	ICD-9-CM Dx	814.19	Open fracture of other bone of wrist
			Closed fracture of metacarpal bone(s), site
Fracture	ICD-9-CM Dx	815.00	unspecified

			Closed fracture of base of thumb (first)
Fracture	ICD-9-CM Dx	815.01	metacarpal
			Closed fracture of base of other metacarpal
Fracture	ICD-9-CM Dx	815.02	bone(s)
			Closed fracture of shaft of metacarpal
Fracture	ICD-9-CM Dx	815.03	bone(s)
Fracture	ICD-9-CM Dx	815.04	Closed fracture of neck of metacarpal bone(s)
			Closed fracture of multiple sites of
Fracture	ICD-9-CM Dx	815.09	metacarpus
			Open fracture of metacarpal bone(s), site
Fracture	ICD-9-CM Dx	815.10	unspecified
			Open fracture of base of thumb (first)
Fracture	ICD-9-CM Dx	815.11	metacarpal
			Open fracture of base of other metacarpal
Fracture	ICD-9-CM Dx	815.12	bone(s)
Fracture	ICD-9-CM Dx	815.13	Open fracture of shaft of metacarpal bone(s)
Fracture	ICD-9-CM Dx	815.14	Open fracture of neck of metacarpal bone(s)
Fracture	ICD-9-CM Dx	815.19	Open fracture of multiple sites of metacarpus
			Closed fracture of phalanx or phalanges of
Fracture	ICD-9-CM Dx	816.00	hand, unspecified
			Closed fracture of middle or proximal phalanx
Fracture	ICD-9-CM Dx	816.01	or phalanges of hand
			Closed fracture of distal phalanx or phalanges
Fracture	ICD-9-CM Dx	816.02	of hand
			Closed fracture of multiple sites of phalanx or
Fracture	ICD-9-CM Dx	816.03	phalanges of hand
		0.15.10	Open fracture of phalanx or phalanges of
Fracture	ICD-9-CM Dx	816.10	hand, unspecified
Functions	ICD O CM D	016.11	Open fracture of middle or proximal phalanx
Fracture	ICD-9-CM Dx	816.11	or phalanges of hand
Fracture	ICD-9-CM Dx	816.12	Open fracture of distal phalanx or phalanges of hand
Tracture	ICD-3-CIVI DX	810.12	Open fracture of multiple sites of phalanx or
Fracture	ICD-9-CM Dx	816.13	phalanges of hand
Tractare	ICD 5 CIVI DX	010.13	Fracture of unspecified intracapsular section
Fracture	ICD-9-CM Dx	820.00	of neck of femur, closed
	102 0 0 2	320.00	Fracture of epiphysis (separation) (upper) of
Fracture	ICD-9-CM Dx	820.01	neck of femur, closed
			Fracture of midcervical section of femur,
Fracture	ICD-9-CM Dx	820.02	closed
Fracture	ICD-9-CM Dx	820.03	Fracture of base of neck of femur, closed
Fracture	ICD-9-CM Dx	820.09	Other transcervical fracture of femur, closed
			Fracture of unspecified intracapsular section
Fracture	ICD-9-CM Dx	820.10	of neck of femur, open

			Fracture of epiphysis (separation) (upper) of
Fracture	ICD-9-CM Dx	820.11	neck of femur, open
			Fracture of midcervical section of femur,
Fracture	ICD-9-CM Dx	820.12	open
Fracture	ICD-9-CM Dx	820.13	Fracture of base of neck of femur, open
Fracture	ICD-9-CM Dx	820.19	Other transcervical fracture of femur, open
			Fracture of unspecified trochanteric section
Fracture	ICD-9-CM Dx	820.20	of femur, closed
	160 0 614 0	020.24	Fracture of intertrochanteric section of
Fracture	ICD-9-CM Dx	820.21	femur, closed
Fracture	ICD-9-CM Dx	820.22	Fracture of subtrochanteric section of femur, closed
Tracture	ICD-3-CIVI DX	820.22	Fracture of unspecified trochanteric section
Fracture	ICD-9-CM Dx	820.30	of femur, open
11000010	ies s em sa	0_0.00	Fracture of intertrochanteric section of
Fracture	ICD-9-CM Dx	820.31	femur, open
			Fracture of subtrochanteric section of femur,
Fracture	ICD-9-CM Dx	820.32	open
Fracture	ICD-9-CM Dx	821.00	Fracture of unspecified part of femur, closed
Fracture	ICD-9-CM Dx	821.01	Fracture of shaft of femur, closed
Fracture	ICD-9-CM Dx	821.10	Fracture of unspecified part of femur, open
Fracture	ICD-9-CM Dx	821.11	Fracture of shaft of femur, open
			Fracture of lower end of femur, unspecified
Fracture	ICD-9-CM Dx	821.20	part, closed
Fracture	ICD-9-CM Dx	821.21	Fracture of femoral condyle, closed
Fracture	ICD-9-CM Dx	821.22	Fracture of lower epiphysis of femur, closed
Fracture	ICD-9-CM Dx	821.23	Supracondylar fracture of femur, closed
Fracture	ICD-9-CM Dx	821.29	Other fracture of lower end of femur, closed
			Fracture of lower end of femur, unspecified
Fracture	ICD-9-CM Dx	821.30	part, open
Fracture	ICD-9-CM Dx	821.31	Fracture of femoral condyle, open
Fracture	ICD-9-CM Dx	821.32	Fracture of lower epiphysis of femur, open
Fracture	ICD-9-CM Dx	821.33	Supracondylar fracture of femur, open
Fracture	ICD-9-CM Dx	821.39	Other fracture of lower end of femur, open
Fracture	ICD-9-CM Dx	823.00	Closed fracture of upper end of tibia
Fracture	ICD-9-CM Dx	823.01	Closed fracture of upper end of fibula
			Closed fracture of upper end of fibula with
Fracture	ICD-9-CM Dx	823.02	tibia
Fracture	ICD-9-CM Dx	823.10	Open fracture of upper end of tibia
Fracture	ICD-9-CM Dx	823.11	Open fracture of upper end of fibula
			Open fracture of upper end of fibula with
Fracture	ICD-9-CM Dx	823.12	tibia

Fracture	ICD-9-CM Dx	823.20	Closed fracture of shaft of tibia
Fracture	ICD-9-CM Dx	823.21	Closed fracture of shaft of fibula
Fracture	ICD-9-CM Dx	823.22	Closed fracture of shaft of fibula with tibia
Fracture	ICD-9-CM Dx	823.30	Open fracture of shaft of tibia
Fracture	ICD-9-CM Dx	823.31	Open fracture of shaft of fibula
Fracture	ICD-9-CM Dx	823.32	Open fracture of shaft of fibula with tibia
Fracture	ICD-9-CM Dx	823.40	Torus fracture, tibia alone
Fracture	ICD-9-CM Dx	823.41	Torus fracture, fibula alone
Fracture	ICD-9-CM Dx	823.42	Torus fracture, fibula with tibia
Fracture	ICD-9-CM Dx	823.80	Closed fracture of unspecified part of tibia
Fracture	ICD-9-CM Dx	823.81	Closed fracture of unspecified part of fibula
Fracture	ICD-9-CM Dx	823.82	Closed fracture of unspecified part of fibula with tibia
Fracture	ICD-9-CM Dx	823.90	Open fracture of unspecified part of tibia
Fracture	ICD-9-CM Dx	823.91	Open fracture of unspecified part of fibula
Fracture	ICD-9-CM Dx	823.92	Open fracture of unspecified part of fibula with tibia
Fracture	ICD-9-CM Dx	825.20	Fracture of unspecified bone(s) of foot (except toes), closed
Fracture	ICD-9-CM Dx	825.21	Fracture of astragalus, closed
Fracture	ICD-9-CM Dx	825.22	Fracture of navicular (scaphoid) bone of foot, closed
Fracture	ICD-9-CM Dx	825.23	Fracture of cuboid bone, closed
Fracture	ICD-9-CM Dx	825.24	Fracture of cuneiform bone of foot, closed
Fracture	ICD-9-CM Dx	825.25	Fracture of metatarsal bone(s), closed
Fracture	ICD-9-CM Dx	825.29	Other fracture of tarsal and metatarsal bones, closed
Fracture	ICD-9-CM Dx	825.30	Fracture of unspecified bone(s) of foot (except toes), open
Fracture	ICD-9-CM Dx	825.31	Fracture of astragalus, open
			Fracture of navicular (scaphoid) bone of foot,
Fracture	ICD-9-CM Dx	825.32	open
Fracture	ICD-9-CM Dx	825.33	Fracture of cuboid bone, open
Fracture	ICD-9-CM Dx	825.34	Fracture of cuneiform bone of foot, open
Fracture	ICD-9-CM Dx	825.35	Fracture of metatarsal bone(s), open
Fracture	ICD-9-CM Dx	825.39	Other fractures of tarsal and metatarsal bones, open
Pneumonia	ICD-9-CM Dx	997.31	Ventilator associated pneumonia
Pneumonia	ICD-9-CM Dx	997.32	Postprocedural aspiration pneumonia
Pneumonia	ICD-9-CM Dx	997.39	Other respiratory complications
Sleep disorder	ICD-9-CM Dx	V69.4	Lack of adequate sleep

Sleep disorder ICD-9-CM Dx V69.5 Behavioral ins	somnia of childhood
---	---------------------

Appendix C - Generic medications

MEDICATION LABEL	INCLUDES
Anti-infective	Acetic Acid
	Amphotericin
	Anidulafungin
	Aztreonam
	Bacitracin
	Besifloxacin Hydrochloride
	Caspofungin
	Cefazolin Sodium
	Cefepime
	Cefoxitin
	Ceftazidime
	Ceftriaxone
	Cefuroxime Sodium
	Cephalothin Sodium
	Chloramphenicol
	Chlortetracycline Hydrochloride
	Cidofovir
	Ciprofloxacin Hydrochloride
	Colistimethate sodium
	Daptomycin
	Doripenem
	Enfuvirtide
	Ertapenem
	Erythromycin
	Fluconazole
	Fluorometholone/Sulfacetamide Sodium

Foscarnet sodium
Ganciclovir sodium
Garamycin, gentamicin
Gatifloxacin
Gatifloxacin
Gentamicin Sulfate
Gramicidin/Neomycin Sulfate/Polymyxin B Sulfate
Idoxuridine
Imipenem/Cilastatin
Levofloxacin
Lincomycin Hydrochloride
Linezolid
Mercuric Oxide
Meropenem
Metronidazole
Micafungin sodium
Minocycline Hydrochloride
Moxifloxacin Hydrochloride
Natamycin
Neomycin Sulfate
Norfloxacin
Ofloxacin
Oritavancin
Oxytetracycline Hydrochloride/Polymyxin B Sulfate
Pentamidine isethionate
Polymyxin B Sulfate
Sulfacetamide Sodium
Sulfisoxazole
Tedizolid phosphate

	Telavancin
	Tetracycline Hydrochloride
	Tigecycline
	Tobramycin
	Trifluridine
	Trimetrexate glucuronate
	Vancomycin Hydrochloride
	Vidarabine
	Voriconazole
	Zidovudine
Corticosteroids	Acetic Acid/Hydrocortisone
	Atropine/Prednisolone
	Methylprednisolone Acetate
	Dexamethasone
	Hydrocortisone Acetate/Neomycin Sulfate
	Prednisone
	Prednisolone Acetate
	Prednisolone Sodium Phosphate
	Triamcinolone Acetonide